

10/530414

JCCS Rec'd PCT/PTO 07 APR 2009

ARTICLE 34 AMENDMENT

AMENDMENT

(pursuant to Article 11 of the Japanese Patent Law)

To: Commissioner of the Japanese Patent Office

1. International Application Classification: PCT/JP03/04085

2. Applicant

Name: TEIJIN LIMITED

Address: 6-7, Minamihommachi 1-chome, Chuo-ku, Osaka-shi,

Osaka 541-0054 JAPAN

Nationality: JAPAN

Country of Residence: JAPAN

3. Representative

Name: Hideko MIHARA, Patent Attorney (9967)

Address: c/o Teijin Intellectual Property Center Limited

1-1, Uchisaiwaicho 2-chome, Chiyoda-ku

Tokyo 100-0011 Japan

4. Object of the Amendment

(1) Specification

(2) Claims

5. Content of the Amendment

(1) The text "3 GPa or greater" on page 5, line 4, page 7, line 17 and page 11, line 14 of the specification is corrected to "greater than 6 GPa".

(2) The text "at least 3 GPa and more preferably at least 6 GPa" on page 10, line 21 of the specification is corrected to "greater than 6 GPa".

(3) The text "If the Young's modulus is less than 3 GPa,

the rigidity will be insufficient particularly with smaller thicknesses, and the process transportability will often be inferior. The elastic modulus of the obtained polyimide film is preferably at least 3 GPa and more preferably at least 6 GPa in two directions." on page 11, line 16 of the specification is corrected to "If the Young's modulus 6 GPa or less, the rigidity will be insufficient particularly with smaller thicknesses, and the process transportability will often be inferior."

(4) The text "... it has two perpendicular directions in which the Young's modulus is greater than 3 GPa in the plane of the film. Preferably, the plane of the film has two perpendicular directions in which the Young's modulus is greater than 6 GPa." on page 12, line 18 of the specification is corrected to "... it has two perpendicular directions in which the Young's modulus is greater than 6 GPa in the plane of the film."

(5) The text "3 GPa and more preferably at least 6 GPa" on page 24, line 24 of the specification is corrected to "6 GPa".

(6) The text "The concentration of the polyamic acid NMP solution was 7 wt%" on page 41, line 1 is corrected to "The concentration of the polyamic acid NMP solution was 7 wt%".
[Note: correction of Japanese text].

(7) The text "3 GPa or greater" in claim 1, line 3 from the bottom (second page) is corrected to "greater than 6 GPa".

6. List of Attached Documents

(1) Specification, pages 5, 7, 10, 11, 12, 24, 41 (one copy each)

(2) Claims, pages 43, 44 (one copy each)